

# ASTRONOMY 2020

## Supplementary Information

### MELBOURNE

Quasar Publishing  
Version 1.0

This year for our thirtieth edition we have made some changes. As part of this we have removed some data from the yearbook.

To decide what could be taken out we reviewed how the people, who value our book, participate in the hobby and how has this evolved over the years. For the true beginners with little more than a sense of wonder and a thirst to know, we believe they are well catered for in Astronomy 2020.

Telescope users have become polarised into two camps. There are those we call the pure observers who, with some knowledge, spend their money on the optics, taking a more low cost approach to their mounts. Then there are the people who ride the back of the technology revolution turning to computer controlled scopes, now much more affordable instruments, that can automatically slew to an object selected from its database.

Keeping this in mind, we had a hard look at the sea of numbers in Part II. Printed rise and set times for all the planets are not used by the beginner or pure observer and not needed by the techies. Besides, no one observes the planets (or anything) close to the horizon unless they have to. For this reason we

believe the approximate times given in the Rise–Set charts in Part I should suffice. Often the transit times for the outer planets are more valuable, when the planet is high in the northern sky with minimal atmospheric turbulence. Using the same reasoning, the position tables of the Sun, Moon and planets are either not used or not necessary.

When we started these books in 1990 there was no internet (believe it or not!), so some of the information we supplied wasn't easily obtainable elsewhere. Today a lot is available either online, from computer programmes or through cheap (or free) astronomy/planetarium apps on mobile devices. The lunar occultation tables are no longer included as the Occult software (written by Australian David Herald) is readily available for download and it can tailor event times for your location. Nevertheless, if you still need this information it is now available here.

The data on the following pages (available for download from our web site) is supplementary to the yearbook ASTRONOMY 2020 that we published in October 2019. Note there is a separate PDF for each capital city in Australia.

[www.quasarastronomy.com.au/downloads---2020.html](http://www.quasarastronomy.com.au/downloads---2020.html)

In the event you are reading this and don't know what the yearbook we are referring to is, have a look here.

[www.quasarastronomy.com.au/order.html](http://www.quasarastronomy.com.au/order.html)









# LUNAR OCCULTATIONS for MELBOURNE (37° 50' S, 145° 00' E)

**INTRODUCTION** From month to month the Moon does not occult the same stars. In fact over a number of years it drifts in declination between plus and minus 28°. The brighter stars that the Moon occults are listed in the Zodiacal Catalogue (ZC). There are about 3500 stars in the ZC.

The Moon moves from west to east, so it rises and sets later each day. From just after New Moon to just before Full Moon, stars being occulted disappear behind part of the dark limb and reappear from the bright limb. The limb is another term for the edge of the Moon. After Full Moon a star disappears on the bright limb and reappears on the dark limb. There is no dark limb at Full Moon.

Dark limb events, in particular disappearances, are the easiest to observe. Following a star until it *winks out* is much easier than scanning the lunar limb, waiting for it to suddenly reappear. The brighter the star, the more spectacular the event. The table here present the easier to observe occultations for this year as predicted Both events, the disappearance and reappearance, are not necessarily included. An event may not be present because:

1. The Moon is in daylight.
2. The Moon is too close to or below the horizon.
3. For faint stars, events on a bright limb (in particular reappearances) are difficult to observe and have been omitted.

**TELESCOPE REQUIREMENTS.** These vary greatly with the brightness of the star being observed, the brightness of the Moon (how close to Full Moon) and whether the event is on a bright or dark limb. Disappearances of first magnitude stars on the dark limb can be observed with the naked eye.

[www.lunar-occultations.com/iota/iotandx.htm](http://www.lunar-occultations.com/iota/iotandx.htm)  
[www.occultations.org.nz](http://www.occultations.org.nz)

The faintest stars, which have occultation predictions, are about 6.5 magnitude. The criteria for selection are complex involving the Sun and Moon altitude, star magnitude and whether it is a bright or dark limb event.

**EST** the date and time of the occultation, hr and min are in EST  
**OBJECT** n, nn, nnn, nnnn ZC catalogue number  
 ggg ccc Greek letter and constellation abbreviation  
 n ccc Flamsteed number and constellation  
 name of planet, satellite or deep sky object.

**PD** event, consisting of two letters.  
 The first letter is the Event type: D = Disappearance and R = Reappearance. The 2<sup>nd</sup> letter represents: D = Dark limb, B = a bright limb event. G indicates a graze at or near the location. M means a miss with a graze nearby.

**Mag** magnitude of the star.  
**Elg** elongation or separation of the Moon from the Sun as measured in degrees.  
**Alt** altitude of the Moon during the occultation.  
**PA** position angle is the position the event occurs on the limb of the Moon (measured as degrees east of north).  
**A** coefficient of longitude (see below)  
**B** coefficient of latitude (see below)  
 NB. For some stars, close to grazing, A and B values would be useless, and no values are shown.

**CALCULATING EVENT TIME FOR OTHER LOCATIONS**  
 Unless the event is close to a graze (PA is close to 0° or 180°) this method will give a good approximation for any location within about 500 km of this city. The predicted time at your location is given by:  
 Predicted Time = Time from Table + (A × n) + (B × p)  
 where A and B are taken from the table below and n and p are given by (convert to decimal degrees)

$$n = \text{your longitude} - \text{reference longitude}$$

$$p = \text{reference latitude} - \text{your latitude}$$

you need to preserve the signs of n and p, that is, whether they are positive or negative and it is best to use your closest city.

EST	Object	PD	Mag	Elg°	Alt°	PA°	A	B	EST	Object	PD	Mag	Elg°	Alt°	PA°	A	B	EST	Object	PD	Mag	Elg°	Alt°	PA°	A	B
Jan 01 21:33	3478	DD	6.4	71	24	86	0.8	1.5	Apr 09 01:25	1965	RD	6.5	171	57	265	2.4	0.5	Aug 03 00:24	2921	DD	6.0	167	72	62	1.9	1.6
Jan 08 20:26	105 Tau	DD	5.8	150	25	96	2.0	-1.0	Apr 12 01:39	2401	DB	5.6	130	58	67	2.3	0.3	Aug 03 01:52	2928	DD	6.4	167	58	62	1.3	1.9
Jan 09 01:18	108 Tau	DD	6.3	152	18	60	1.6	1.7	Apr 12 02:34	2401	RD	5.6	130	67	336	0.8	-3.4	Aug 11 02:00	Xi Ari	RD	5.5	101	21	252	1.0	-0.6
Jan 10 02:31	8 Gem	DD	6.1	165	14	36	2.2	3.0	Apr 12 23:37	52 Oph	RD	6.5	118	26	296	0.1	-1.7	Aug 26 18:54	2394	DD	6.3	98	73	65	2.6	1.6
Jan 10 02:37	9 Gem	DD	6.2	165	14	93	1.2	1.0	Apr 14 00:48	2706	DB	5.8	105	29	127	0.1	-2.1	Aug 26 19:57	2394	RB	6.3	98	66	329	1.7	-2.6
Jan 20 03:02	Eta Lib	DB	5.4	62	19	143	-0.1	-2.1	Apr 14 01:48	2706	RD	5.8	105	41	253	1.3	-0.6	Aug 28 21:17	26 Sgr	DD	6.2	124	73	50	2.0	2.6
Jan 20 03:56	Eta Lib	RD	5.4	61	30	266	0.8	-1.1	May 07 01:54	2043	DD	6.5	168	48	103	1.6	0.3	Aug 29 21:03	53 Sgr	DD	6.4	136	75	68	2.2	0.9
Jan 23 12:53	Jupiter	DB	-1.7	21	62	70	1.7	1.7	May 07 02:17	2047	DD	6.6	168	44	115	1.3	0.0	Aug 29 21:14	2875	DD	6.0	136	75	70	2.2	0.9
Jan 23 14:05	Ganymed	RD	5.4	21	48	276	1.5	0.8	May 09 00:25	2316	RD	6.4	164	67	294	1.7	-1.3	Sep 03 05:00	Psi 2 Aqr	DB	4.4	173	27	77	0.7	1.6
Jan 23 14:12	Jupiter	RD	-1.7	21	47	276	1.4	0.9	May 14 02:12	3081	RD	6.5	100	38	231	1.3	0.4	Sep 03 06:02	Psi 2 Aqr	RD	4.4	172	15	226	0.1	2.0
Jan 28 20:52	Psi 2 Aqr	RB	4.4	39	9	199	-0.3	2.6	May 26 17:49	52 Gem	DD	5.8	42	18	55	2.2	2.1	Sep 12 05:24	977	RD	6.4	73	22	270	1.9	-0.8
Feb 05 22:06	859	DD	6.6	130	27	44	2.1	1.7	May 27 19:03	1239	DD	6.6	54	17	183	-2.1	-5.1	Sep 22 19:14	Psi Oph	DD	4.5	68	52	121	1.6	-0.4
Feb 05 22:46	865	DD	6.2	130	25	81	1.9	0.9	May 29 19:34	Eta Leo	MB	3.5	80	31	209	9.9	9.9	Sep 22 20:23	Psi Oph	RB	4.5	68	39	263	1.0	1.4
Feb 08 21:00	Gam Cnc	DD	4.7	168	18	173	2.4	-5.7	May 31 23:54	1739	DD	6.4	108	18	133	0.5	-0.3	Sep 25 00:32	24 Sgr	DD	5.5	96	16	114	0.3	0.6
Feb 08 21:19	Gam Cnc	RD	4.7	168	21	203	0.8	3.4	Jun 07 20:36	2706	RD	5.8	158	22	282	0.1	-1.4	Sep 25 21:06	49 Sgr	DD	5.5	107	65	93	2.0	0.6
Feb 11 23:03	Xi Vir	RD	4.8	148	21	359	0.5	-3.6	Jun 07 22:03	26 Sgr	RD	6.2	157	38	236	1.4	0.1	Sep 25 22:23	49 Sgr	RB	5.5	107	50	242	1.0	2.0
Feb 17 03:29	Chi Oph	DB	4.2	79	40	60	1.8	0.0	Jun 13 03:31	Psi 3 Aqr	RD	5.0	95	44	35	1.2	1.4	Oct 01 21:08	49	DD	6.1	174	36	28	0.8	1.5
Feb 17 04:10	Chi Oph	RD	4.2	79	48	347	-0.1	-3.7	Jun 13 04:49	Psi 3 Aqr	DB	5.0	95	56	266	2.3	-0.5	Oct 07 01:18	Ome 2 Tau	DB	4.9	128	23	66	1.4	-0.2
Feb 18 02:31	Xi Oph	DB	4.4	68	20	102	0.1	-1.4	Jun 28 21:09	1813	DD	5.7	91	36	129	1.1	-0.4	Oct 07 02:44	Ome 2 Tau	RD	4.9	127	30	242	1.9	0.4
Feb 18 03:32	Xi Oph	RD	4.4	67	32	293	0.4	-1.7	Jun 28 22:16	1813	RB	5.7	91	25	294	0.8	0.3	Oct 21 19:24	2602	RB	5.4	63	49	194	-0.7	8.4
Feb 18 04:23	2509	DB	5.8	67	41	113	0.8	-1.8	Jun 30 23:36	2072	DD	6.6	119	37	94	1.2	1.0	Oct 21 22:53	1 Sgr	DD	5.0	64	10	38	-0.8	2.4
Feb 29 19:38	38 Ara	DD	5.2	62	23	91	1.5	1.2	Jul 01 23:14	30 Lib	DD	6.5	132	54	127	1.5	-0.7	Oct 25 00:00	3081	DD	6.5	102	26	79	0.4	1.5
Mar 04 22:07	8 Gem	DD	6.1	109	20	102	1.6	0.6	Jul 02 19:20	2331	DD	6.3	144	52	97	1.4	-1.2	Oct 28 02:33	3478	DD	6.4	137	16	80	0.4	1.5
Mar 04 23:04	9 Gem	DD	6.2	110	13	177	9.9	9.9	Jul 11 04:22	3506	DB	6.1	114	58	38	1.4	1.9	Oct 28 23:32	128661	DD	6.6	147	50	17	0.7	2.9
Mar 05 20:09	48 Gem	DD	5.9	121	28	115	2.2	-0.8	Jul 11 05:46	3506	RD	6.1	114	56	251	2.1	1.2	Nov 20 22:22	17 Cap	DD	5.9	70	22	102	0.5	0.9
Mar 06 20:17	1239	DD	6.6	134	26	63	2.0	0.1	Jul 13 01:01	33 Cet	RD	6.0	93	9	266	0.4	-1.2	Nov 23 23:57	Psi 2 Aqr	DD	4.4	105	23	350	-1.0	4.4
Mar 13 05:12	2043	RD	6.5	137	51	268	1.9	0.9	Jul 13 05:29	89 Psc	DB	5.1	91	47	26	1.0	2.0	Nov 24 00:19	Psi 2 Aqr	RB	4.4	105	19	311	1.5	-0.6
Mar 15 04:37	2316	RD	6.4	110	70	218	5.3	7.5	Jul 13 06:48	89 Psc	RD	5.1	91	48	260	2.5	0.7	Dec 05 03:35	Lam Cnc	RD	5.9	131	28	280	2.2	-0.3
Mar 17 02:08	2595	DB	5.7	86	30	139	-0.1	-2.4	Jul 15 03:31	38 Ara	DB	5.2	70	14	50	0.4	0.1	Dec 06 01:58	1373	RD	6.5	119	20	240	1.6	-0.2
Mar 17 03:03	2595	RD	5.7	86	41	249	1.4	-0.5	Jul 15 04:43	38 Ara	RD	5.2	70	26	248	1.2	-0.3	Dec 27 21:17	Ome 2 Tau	DD	4.9	150	30	129	4.3	-3.0
Mar 18 00:50	Nu 1 Sgr	RD	4.9	75	6	340	-1.3	-3.2	Jul 30 01:52	2316	DD	6.4	117	13	68	-0.1	1.8	Dec 27 21:55	Ome 2 Tau	RB	4.9	150	32	180	-0.1	3.7
Mar 18 01:53	2754	RD	5.9	74	17	244	0.4	-0.5	Jul 31 01:13	2457	DD	6.3	130	32	98	0.8	0.9	Dec 27 23:01	53 Tau	DD	5.5	151	30	46	1.9	1.4